



## INFRASTRUCTURE REPORT

# Interface Utilization

Real-Time Bandwidth & Interface Performance Analysis

### REPORT SCOPE

**All Monitored Interfaces**

### GENERATED

**September 17, 2026 at 22:22:45**

### REFERENCE ID

**RPT-2026-0917-B69C48**

CONFIDENTIAL — INTERNAL USE ONLY

## EXECUTIVE SUMMARY

132

TOTAL INTERFACES

0

HIGH UTILIZATION (>80%)

0.0%

AVG UTILIZATION

4.73 GB

INTERFACE THROUGHPUT

## INTERFACE DETAILS

| DEVICE  | INTERFACE                        | SPEED   | STATUS | TOTAL TRAFFIC | IN BPS      | OUT BPS     | UTILIZATION      |
|---------|----------------------------------|---------|--------|---------------|-------------|-------------|------------------|
| NTA-R1  | Loopback2113                     | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps       | <div></div> 0.0% |
| NTA-R1  | GigabitEthernet3                 | 1 Gbps  | UP     | 0 B           | 0 bps       | 0 bps       | <div></div> 0.0% |
| FG-NETS | port1 (IPT)                      | 1 Gbps  | UP     | 147.95 MB     | 36.84 Kbps  | 160.38 Kbps | <div></div> 0.0% |
| FG-NETS | Staging-Servers (VLAN30)         | 1 Gbps  | UP     | 395.56 KB     | 502 bps     | 12 bps      | <div></div> 0.0% |
| NTA-R3  | GigabitEthernet3 (TO LAN)        | 1 Gbps  | UP     | 72.33 KB      | 0 bps       | 94 bps      | <div></div> 0.0% |
| NTA-R3  | GigabitEthernet4 (LAN_INTERFACE) | 1 Gbps  | UP     | 73.77 KB      | 0 bps       | 96 bps      | <div></div> 0.0% |
| NTA-R1  | Loopback35 (syslogg_test2)       | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps       | <div></div> 0.0% |
| FG-NETS | mgmt                             | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps       | <div></div> 0.0% |
| FG-NETS | wan1 (WAN)                       | 1 Gbps  | UP     | 789.89 MB     | 721.11 Kbps | 331.82 Kbps | <div></div> 0.1% |
| NTA-R3  | VoIP-Null0                       | 10 Gbps | UP     | 0 B           | 0 bps       | 0 bps       | <div></div> 0.0% |
| NTA-R1  | Loopback36 (usama test)          | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps       | <div></div> 0.0% |
| NTA-R2  | GigabitEthernet4 (LAN_INTERFACE) | 1 Gbps  | UP     | 73.77 KB      | 0 bps       | 96 bps      | <div></div> 0.0% |

| Device  | Interface                                      | Speed   | Status | Total Traffic | In Bps      | Out Bps   | Utilization      |
|---------|------------------------------------------------|---------|--------|---------------|-------------|-----------|------------------|
| FG-NETS | wan2                                           | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| NTA-R1  | Loopback50 (test for NCM 2.0)                  | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| NTA-R1  | Loopback101 (#####+++++NCM Test++++\$\$\$\$\$) | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| NTA-R2  | VoIP-Null0                                     | 10 Gbps | UP     | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| NTA-R2  | Loopback5                                      | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | ha1                                            | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | ha2                                            | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | x2                                             | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | port20                                         | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| NTA-R1  | Loopback12                                     | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| NTA-R1  | Loopback133 (++++Test 133++++)                 | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| NTA-R2  | Loopback418 (test-Rashid)                      | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | port11                                         | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | port12                                         | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| NTA-R1  | Loopback102 (+++++NCM LoopBack 102++++)        | 8 Gbps  | UP     | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | port7                                          | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | port4                                          | 0 bps   | DOWN   | 0 B           | 0 bps       | 0 bps     | <div></div> 0.0% |
| FG-NETS | port2 (SERVER)                                 | 1 Gbps  | UP     | 1.76 GB       | 800.18 Kbps | 1.61 Mbps | <div></div> 0.2% |